

PROBOR 10

Product Information Page

Our ProBor range of products are based on a water soluble borate, a timber preservative that has been extensively researched over the past 50 years. Borates have the distinct advantages being low hazardous to the environment and, unlike conventional preservatives, they exhibit superb penetration into damp timber, making them suitable for use in high risk areas such as embedded joist ends, lintels, wall plates, etc.

ProBor 10 is a high performance, water soluble borate timber preservative designed for use against fungal decay and wood-boring insects

Specification Tip for Design Professionals:

ProBor 10 may be specified by name or by using the following description: *a propriety boron based ready to use triple action solution containing 10% active ingredient for treatment against wood boring insects, wood rotting fungi and as a masonry sterilant against dry rot.*



- ✓ **Triple action: fungicide-insecticide-masonry sterilant**
- ✓ **Ready to use**
- ✓ **Low odour**
- ✓ **Brush or spray applied**
- ✓ **Contains no permethrin or phenol ethoxylates**
- ✓ **No hydrocarbon solvents**
- ✓ **48 hour re-entry**

How does ProBor 10 work:

The ProBor 10 solution penetrates deep into the timber offering immediate action against wood boring insects in all dry timbers and for the treatment of dry rot and wet rot in smaller dimension timbers. ProBor 10 may also be used as a very effective masonry biocide for the control of dry rot in masonry.

How do I prepare the surface before applying ProBor 10:

Remove the sources of moisture from the timbers. Surfaces onto which ProBor 10 is to be applied should be clean and dry and free from coatings.

SURFASOLOGY

E: info@surfasology.com

T: 01 832 1005

W: surfasology.ie



How do I apply ProBor 10:

ProBor 10 may be applied using a low pressure coarse spray system using of 0.25 litres of the solution per square meter. Alternatively, brush apply the solution in three liberal coats to achieve the same coverage.

ProBor 10 should not be applied to exposed timber if rain is expected in the following 24 hours or if temperatures are 10°C or below or are expected to fall below 10°C in the following 24 hours.

Coverage:

Coarse spray: 0.25L per m².

Brush: 3 liberal coats to achieve 0.25L per m².

How do I store ProBor 10:

ProBor 10 should be stored in cool dry conditions above 10°C and protected from frost. Health and Safety: Always use pesticides safely, please consult the MSDS before use.

Protect the environment: Dispose of waste in accordance with the local authority regulations.

Disclaimer: The general information provided in the present technical description, application guidelines and other recommendations, is based on research and experience. However, the client is obliged to determine themselves what products are suitable for use. Accordingly, no liability will be accepted by IBC Limited t/a SURFASOLOGY™.

For further information contact the SURFASOLOGY™ Technical Department.

SURFASOLOGY

E: info@surfalogy.com

T: 01 832 1005

W: surfalogy.ie



SURFASOLOGY



Smart Surface Solutions

Waterproofing and Damp Proofing Specialists

WHO WE ARE

SURFASOLOGY, formerly IBC Ltd., is Ireland's leading waterproofing and damp proofing specialist that has been proudly providing market leading, innovative, and sustainable construction solutions since 1976.

Our high-quality products and systems are accompanied by our professional technical support and a full installation service. **SURFASOLOGY** technical consultancy team have unrivalled experience in major construction projects, as well as solving everyday problems for homeowners, with long term trustworthy solutions.

Our products are all manufactured in ISO Quality System compliant facilities and meet the relevant local, National, & European standards. **SURFASOLOGY** network members manufacture products exclusively in Germany, Switzerland, Spain, Greece and the UK. We support these products in local markets with highly-qualified technical professionals, who understand both on-site demands and the design detail. We work in a collaborative way with our clients at all stages of the project to ensure that the correct design, preparation, and application are carried out to ensure a timely and successful outcome for all stakeholders.

Get in touch with us today!

**INNOVATIVE, WORLD-CLASS,
SUSTAINABLE CONSTRUCTION
SOLUTIONS, POWERED BY OUR
EXTENSIVE EXPERIENCE AND
EXPERTISE.**

AREAS OF EXPERTISE

Structural Waterproofing

Our world class solutions encompass the whole building envelope both above and below ground.

Damp Proofing & Remedial

A comprehensive range of first class damp proofing and timber treatment solutions.

Specialist Screeds & Coatings

High quality floor finish on domestic, commercial, under-floor heating or industrial projects.

Concrete Repair

We offer a highly efficient selection of products for the repair and protection of concrete elements.

WHAT WE DO

Material Supply

Reliable and sustainable surface solutions accompanied by unrivalled technical support.

Installation Service

Specialised installation service provided by our approved contractors delivering high quality workmanship you can trust.

Technical Support

Extensive experience and expertise in Project Design and Technical Support Services ensuring reliable outcomes for all our clients.

CPD Seminars

RIAI and RIBA approved CPD Seminars to specifiers on a variety of topics covering structural waterproofing and damp proofing.

SURFASOLOGY

Unit 143, Grange Drive,
Baldoye Industrial Estate,
Dublin 13, D13 W9V2,
Ireland

E: info@surfalogy.com

T: 01 832 1005

W: surfalogy.ie

