

Velosit WP 121

Product Information Page

Velosit WP 121 is a two component, highly flexible, polymer modified cementitious, high strength, rapid drying waterproof slurry coating for concrete and masonry.

Specification Tip for Design Professionals:

VELOSIT WP 121 may be specified by name or by using the following description: a propriety two-component, highly flexible, polymer modified cementitious, high strength, rapid drying waterproof slurry coating for concrete and masonry.

How does Velosit WP 121 work:

A chemical reaction occurs between the mixing liquid (Component B) and the special additives and polymers contained in Component A which produces a highly flexible high strength, rapid setting waterproof slurry coating.

How do I prepare the surface before applying Velosit WP 121:

All surfaces must be free from any contaminants which may inhibit the adhesion of the Velosit WP 121. Pressure washing of the surfaces with clean potable water or other non-aggressive methods are recommended.

Water Ingress: Active water leaks must be treated and fully stopped using Velosit PC 221 or a suitable resin injection.

Dry Cracks: Using a sharp tool, square-cut the perimeter of the crack or damages area, using a non-aggressive method remove the damaged concrete, repair the surface using Velosit WP 101 or Velosit RM 202.

Important:

Fillets should be formed at all upstands and internal corners using Velosit WP 101 or Velosit RM 202. Where negative water pressure is expected, a 1mm coat of Velosit WP 101 or Velosit 102 should be applied on the wet side.



What are the key benefits Velosit WP 121:

- ✓ Fully waterproof coating
- ✓ Rapid setting
- ✓ Suitable for use on potable water retaining structures
- ✓ Open for water pressure after 24 hours
- ✓ Crack bridging
- ✓ Environmentally friendly, non-toxic and chloride free
- ✓ Excellent adhesion and easy to apply
- ✓ Suitable for above and belowground applications
- ✓ Suitable for trafficable flat roofs

Velosit WP 121 Rapid

Product Information Page

How do I apply Velosit WP 121:

Pour Component B into a clean vessel, gradually adding the contents of Component A whilst mixing with a slow speed drill until a lump-free consistency is achieved. If required clean potable water may be added to achieve the desired consistency (Maximum of 1 Litre of CPW).

Apply the product within 15 minutes of mixing.

Velosit WP 121 may be applied by using a fibre-bristled brush, trowel or by suitable spraying equipment. The mixed material should be applied in two coats in the opposite direction to each other to achieve the specified coverage.

Note: Surfaces treated with Velosit WP 121 should be protected from rain for at least 24 hours after application. Velosit WP 121 should not be applied if the temperature is 5°C or below or are expected to fall below 5°C in the following 24 hours.

Curing: Mist cure with clean potable water.

Cleaning Equipment: Clean all equipment using clean potable water.

How do I store Velosit WP 121:

Velosit WP 121 should be stored in its original manufacturer's container in dry conditions and protected from frost.

TECHINCAL DATA:

Appearance	Grey
Optimum Application Temperature	Plus 10°C
Application Coverage	1.6kg/m ² per coat
Elongation	65%
Adhesion to Concrete (EN 1015-12)	1.7(MPa)
Resistance to Freeze-thaw	Classified as very good resistance
Shelf Life	12 months from manufacture date

Please protect the environment: Dispose of waste in accordance with the local authority regulations.

Disclaimer: The general information provided in the present technical description, application guidelines and other recommendations, is based on research and experience. However, the client is obliged to determine themselves what products are suitable for use. Accordingly, no liability will be accepted by IBC Limited t/a SURFASOLOGY™.

For further information contact the SURFASOLOGY™ Technical Department.

SURFASOLOGY

E: info@surfalogy.ie

T: 01 832 1005

W: surfalogy.ie





Smart Surface Solutions

Waterproofing and Damp Proofing Specialists



WHO WE ARE

SURFASOLOGY, formerly IBC Ltd., is Ireland's leading waterproofing and damp proofing specialist that has been proudly providing market leading, innovative, and sustainable construction solutions since 1976.

Our high-quality products and systems are accompanied by our professional technical support and a full installation service. **SURFASOLOGY** technical consultancy team have unrivalled experience in major construction projects, as well as solving everyday problems for homeowners with long term trustworthy solutions.

Our products are all manufactured in ISO Quality System compliant facilities and meet the relevant local, National, & European standards. **SURFASOLOGY** network members manufacture products exclusively in Germany, Switzerland, Spain, Greece and the UK. We support these products in local markets with highly-qualified technical professionals who understand both on-site demands and the design detail. We work in a collaborative way with our clients at all stages of the project to ensure that the correct design, preparation, and application are carried out to ensure a timely and successful outcome for all stakeholders.

Get in touch with us today!

**INNOVATIVE, WORLD-CLASS,
SUSTAINABLE CONSTRUCTION
SOLUTIONS, POWERED BY OUR
EXTENSIVE EXPERIENCE AND
EXPERTISE.**

AREAS OF EXPERTISE

Structural Waterproofing

Our world class solutions encompass the whole building envelope both above and below ground.

Damp Proofing & Remedial

A comprehensive range of first class damp proofing and timber treatment solutions.

Specialist Screeds & Coatings

High quality floor finish on domestic, commercial, under-floor heating or industrial projects.

Concrete Repair

We offer a highly efficient selection of products for the repair and protection of concrete elements.

WHAT WE DO

Material Supply

Reliable and sustainable surface solutions accompanied by unrivalled technical support.

Installation Service

Specialised installation service provided by our approved contractors delivering high quality workmanship you can trust.

Technical Support

Extensive experience and expertise in Project Design and Technical Support Services ensuring reliable outcomes for all our clients.

CPD Seminars

RIAI and RIBA approved CPD Seminars to specifiers on a variety of topics covering structural waterproofing and damp proofing.

SURFASOLOGY

Unit 143, Grange Drive,
Baldoyle Industrial Estate,
Dublin 13, D13 W9V2,
Ireland

E: info@surfasology.ie

T: 01 832 1005

W: surfasology.ie

